

REMARKS

Claims 2, 4 and 5 are amended by incorporating the subject matter of claims 23, 24 and 25, respectively. No new matter is presented.

Entry of the Amendment after final rejection is proper and is respectfully requested since the Amendment merely involves incorporation of the subject matter of dependent claims and cancellation of the dependent claims.

I. Response to the Rejection under 35 U.S.C. § 103

Claims 2-15, 18-25 and 29-31 are rejected under 35 U.S.C. § 103(a) as allegedly being unpatentable over Tan et al (JP 11-038635 and its full English translation provided by PTO) in view of Kawauchi (EP 0 992 850 A2)

Applicants respectfully submit that the cited references do not teach or suggest the presently claimed invention, whether taken alone or in combination.

Independent claims 2, 4 and 5 are amended herein to recite that the infrared absorbing agent has a structure represented by formula (a). The specific polymer contained in the intermediate layer of the claimed planographic printing plate includes a structure represented by formula (I), (Ia) or (Ib), has an onium group in a side chain thereof and further comprises a structure derived from a monomer selected from substituted or non-substituted acrylates or methacrylates.

Thus, the amended specific polymer in the intermediate layer in each of independent claims 2, 4 and 5 is characterized in that the specific polymer has a structure represented by formulae (I), (I-a) or (I-b), an onium group, and a structure derived from a monomer selected from substituted or non-substituted acrylates or methacrylates. Specifically, the combination of the structure represented by formulae (I), (I-a) or (I-b), *and* an onium group in one polymer

molecule is an important feature of the invention. Due to the above specific features, the present invention exhibits unexpectedly superior effects, as described in the specification.

By contrast, neither Tan et al (JP 11-038635) nor Kawauchi (EP 0 992 850 A2) discloses a polymer having the above specific feature, especially the combination of the structure represented by formulae (I), (I-a) or (I-b), *and* an onium group. That is, neither Tan nor Kawauchi teaches nor suggests employing the above specific features, i.e. *the specific combination of the polymer structure*, so as to provide the unexpectedly superior effect exhibited by the present invention.

As discussed previously, the planographic printing plate precursor which includes the specific polymer in the intermediate layer exhibits even further improved effects of the invention. This is clearly shown in Examples 5 to 8 and 10 described in the specification, which respectively employ the specific polymer recited in amended claims 2, 4 and 5, i.e., P-11, P-12 or P-21, in the intermediate layer.

To explain in more detail, the reasons for the improved effects provided by the inclusion of the aforementioned c), which is added by the present amendment, in the specific polymer contained in the intermediate later are as discussed in the following paragraphs (1) to (3).

(1) By introducing a relatively hydrophobic structure such as described in paragraph c) above into the polymer, the affinity between the intermediate layer and the recording layer is increased, whereby printing durability can be improved.

(2) By introducing a relatively hydrophobic structure such as described in paragraph c) above into the polymer, the solubility of the polymer in a coating solvent is increased, whereby coating ability is improved and precipitation becomes less likely to occur upon volatilization of the solvent in a drying step after the coating is carried out. As a result, in a case

where the specific polymer as recited in amended claims 2, 4, and 5 is used, uniform formation of the intermediate layer becomes possible, and printing durability is improved even more.

(3) Further, due to the fact that the structure represented by Formula (I), (I-a) or (I-b) in the specific polymer is a structure exhibiting strong adhesion to the support, it is possible to achieve both good printing durability and good scumming properties at the same time even when a relatively hydrophobic structure such as described in paragraph c) above is introduced into the polymer.

In contrast, Tan et al and Kawauchi et al merely describe that the (meth)acrylic acid esters described in these references can be used as copolymerization components in the polymers disclosed therein, and there is no disclosure or suggestion in these references regarding the relationship with the further improved effects that are realized due to the inclusion of a structure derived from a (meth)acrylic acid ester (i.e., the aforementioned structure described in paragraph c) above) in the polymer.

In view of the above, one of ordinary skill in the art would not have reasonably expected to achieve the effects of the present invention, particularly with respect to obtaining both good printing durability and good scumming properties at the same time even when a relatively hydrophobic structure such as described in paragraph c) above is introduced into the polymer as discussed in paragraph (3) above.

Therefore, inclusion of the above features of paragraphs a), b) and c) in a polymer contained in the intermediate layer in order to achieve the further improved effects, (particularly, improvement in printing durability and similar improvement even after passage of time), such as disclosed in the present specification, would not have been obvious to a person skilled in the art based on a combination of Tan and Kawauchi et al.

Accordingly, the present invention is patentable over the cited references and Applicants respectfully request withdrawal of the §103 rejection.

II. Conclusion

In view of the above, reconsideration and allowance of this application are now believed to be in order, and such actions are hereby solicited. If any points remain in issue which the Examiner feels may be best resolved through a personal or telephone interview, the Examiner is kindly requested to contact the undersigned at the telephone number listed below.

The USPTO is directed and authorized to charge all required fees, except for the Issue Fee and the Publication Fee, to Deposit Account No. 19-4880. Please also credit any overpayments to said Deposit Account.


Respectfully submitted,

SUGHRUE MION, PLLC
Telephone: (202) 293-7060
Facsimile: (202) 293-7860

WASHINGTON OFFICE

23373

CUSTOMER NUMBER


Jennifer M. Hayes
Registration No. 40,641 #47121

Date: August 14, 2007